

LISTING OF CLAIMS

What is claimed is:

1. (Currently amended) An information processing apparatus comprising;

means for creating a digest of a document a layout of which is determined, when said layout being too large to fit in a display screen of a display device or when a document reader requires said document to be zoomed for reading characters displayed on the display device, the document including a plurality of regions, each region including one or more display elements, the means for creating comprising:

means for selecting the display elements based on display priorities of the display elements, and for deciding all of selected display elements as a display content of a digest screen under a condition where a total display area of all of the selected display elements does not exceed a required display area;

means for setting a merging relationship among the regions by deciding a merging region, with which a region not being displayed on the digest screen is merged, from among regions displayed on the digest screen based on layout information for the regions in the document, all of the regions being included in the document;~~and~~

means for ensuring access to information lost by creating the digest and ensuring said digest fits optimally on said display device;

means for deciding, as a display content of a detail screen, a region group including the regions displayed on the digest screen and the region merged with the displayed regions in response to that a detail display of the displayed regions is required; and

means for creating control information for controlling a display of the detail screen, wherein the means for deciding the display content of the detail screen creates a digest of the detail screen based on the control information when the region group is too large to fit in the required display area;

1 wherein the means for deciding the display content of the digest screen further includes
2 means for changing the display content of the digest screen based on an operation of a
3 user; and

4 wherein the changing means includes means for automatically changing the display content
5 of the digest screen, accompanying the operation of the user, and

6 further comprising selective implemented performance capability of employing any combination of
7 means taken from a group of means consisting of:

8 means for deciding, as a display content of a detail screen, a region group including regions
9 displayed on a digest screen and a region merged with displayed regions in response to a detail
10 display of the displayed regions is required;

11 means for creating control information for controlling a display of the detail screen, wherein the
12 means for deciding the display content of the detail screen creates a digest of the detail screen
13 based on the control information when the region group is too large to fit in the required display
14 area;

15 wherein the means for deciding the display content of the digest screen further includes
16 means for changing the display content of the digest screen based on an operation of a
17 user;

18 wherein the changing means includes means for automatically changing the display content
19 of the digest screen, accompanying the operation of the user;

20 means for transmitting information for creating the digest of the document the layout of which is
21 determined to a client terminal together with the document;

1 means for obtaining display priorities of a plurality of display elements belonging to each of a
2 plurality of regions of the document based on attributes of the display elements;
3 means for creating layout information for the regions in the document; and
4 wherein the means for obtaining the display priorities further comprises:
5 means for arraying, for each of the regions, the display elements belonging to the regions
6 in accordance with a predetermined criterion,
7 means for obtaining a ratio of a cumulative length of each of the arrayed display elements
8 in each of the regions by dividing the cumulative length by a total length of the region, and
9 means for dividing the ratio of the cumulative length by a significance of the region to
10 which the display element belongs, the ratio having been obtained for each of the display
11 elements.

12 2. - (5) (Canceled)

13 6. (Withdrawn) An information processing system for creating a digest of a document a layout of
14 which is determined, the system comprising:

15 a proxy server including:

16 digest screen display priority information creating means, for executing program code
17 recorded in a storage device, for obtaining display priorities of display elements based on
18 attributes of display elements belonging to each region of an inputted Web page formed of a
19 plurality of regions, for preparing information concerning display priorities, and for dividing an
20 HTML document of the inputted Web page into said regions of semantic clusters, and for
21 imparting a significance forming a display priority for each of the regions, and

22 a digest screen region layout information creating means 42 for executing program code
23 recorded in the storage device to create layout information for the regions, utilized when setting a
24 merging relationship between a display area and a non-display area on a digest screen in
25 accordance with a predetermined rule for ensuring access to the non-display area by a user;

1 information processing apparatus including digest screen display content deciding means for
2 executing program code recorded in the storage device to select display elements based on the
3 display priorities of the display elements, and to decide all selected display elements as display
4 content of applicants respectfully state digest screen under a condition where a total display area
5 of all of the selected display elements does not exceed a required display area, comprising digest
6 screen display content changing means 48 to change display content of the digest screen based on
7 operations of the user;

8 digest screen region merging relationship setting means for executing program code recorded in
9 the storage device to decide, after the display content of the digest screen is determined, a
10 merging region, with which any region that is not displayed on the digest screen at all is merged,
11 from among the regions displayed on the digest screen, and utilize layout information for the
12 regions, created by the digest screen region layout information creating means ;

13 detail screen display content deciding means for executing program code recorded in the storage
14 device to decide, as a display content of the detail screen, a region group formed of regions
15 displayed on the digest screen and merged regions merged with the displayed regions in response
16 to that a detail display of the displayed regions is required, and referring to the merging
17 relationship among the regions set by the digest screen region merging relationship setting means ,
18 and when the regions cannot be fitted within an acceptable display area selects display elements
19 based on the display priorities obtained by detail screen display priority information creating
20 means , thus creating the digest of the detail screen and setting the merging relationship among
21 the regions on the detail screen by employing detail screen region layout information creating
22 means and detail screen region merging relationship setting means ; and

23 control information creating means comprising:

24 detail screen display priority information creating means for executing program code
25 recorded in the storage device performing the function of said digest screen display priority
26 information creating means for different target display elements,

1 detail screen region layout information creating means for executing program code
2 recorded in the storage device performing function of the digest screen region layout information
3 creating means for said different target display elements,

4 detail screen region merging relationship setting means for executing program code
5 recorded in the storage device performing functions of the digest screen region merging
6 relationship setting means for said different target display elements.

7 7. (Withdrawn) The system according to claim 6,

8 wherein the operation of the user comprises operations performed directly for the digest screen
9 and performed indirectly for the detail screen,

10 wherein changes of the digest screen consist of any combinations of changes taken from a group
11 of changes consisting of:

12 enlargement of a specific region,
13 reduction of a specific region,
14 deletion of a specific region,
15 display of a specific invisible region, and
16 selection of a specific region;

17 wherein said display area is a display area required directly by a user or indirectly by the
18 information processing apparatus;

19 wherein a particular region having low priority is not displayed on the digest screen, and further
20 comprises merging said particular region with another display region in accordance with a
21 predetermined rule for the purpose of ensuring accesses to the particular region by the user.

wherein regions displayed on the digest screen include display elements displayed on the digest screen referred to as “visible regions,” and regions not displayed on the digest screen referred to as “invisible regions”; and

wherein merging relationship of invisible regions merged with the other regions are referred to as “merged regions,” and merging relationship of visible regions that merge the merged regions are referred to as “merging regions”.

8. (Currently amended) A method comprising;

creating a digest of a document a layout of which is determined, when said layout being too large to fit in a display screen of a display device or when a document reader requires said document to be zoomed for reading characters displayed on the display device, the document including a plurality of regions, each region including one or more display elements, the step of creating comprising the steps of:

selecting the display elements based on display priorities of the display elements, and for deciding all of selected display elements as a display content of a digest screen under a condition where a total display area of all of the selected display elements does not exceed a required display area;

setting a merging relationship among the regions by deciding a merging region, with which a region not being displayed on the digest screen is merged, from among regions displayed on the digest screen based on layout information for the regions in the document, all of the regions being included in the document; and

ensuring access to information lost by creating the digest and ensuring said digest fits optimally on said display device;

deciding, as a display content of a detail screen, a region group including the regions displayed on the digest screen and the region merged with the displayed regions in response to that a detail display of the displayed regions is required;

creating control information for controlling a display of the detail screen; and creating a digest of the detail screen based on the control information when the region group is too large to fit in the required display area; and

changing the display content of the digest screen based on an operation of a user.

9. - 11. (Canceled)

12. (Currently amended) A program comprising code for creating a digest of a document a layout of which is determined, when said layout being too large to fit in a display screen of a display device or when a document reader requires said document to be zoomed for reading characters displayed on the display device, the document including a plurality of regions, each region including one or more display elements, the program allowing a computer to realize:

a function to select the display elements based on display priorities of the display elements, and to decide all of selected display elements as a display content of a digest screen under a condition where a total display area of all of the selected display elements does not exceed a required display area; ~~and~~

a function to set a merging relationship among the regions by deciding a merging region, with which a region not being displayed on the digest screen is merged, from among regions displayed on the digest screen based on layout information for the regions in the document, all of the regions being included in the document; and

a function to ensure access to information lost by creating the digest and ensuring said digest fits optimally on said display device;

wherein:

the program further allows the computer to realize a function to decide, as a display content of a detail screen, a region group including the regions displayed on the digest screen and the region merged with the displayed regions in response to that a detail display of the displayed regions is required;

1 the program further allows the computer to realize: a function to create control
2 information for controlling a display of the detail screen; and a function to create a digest
3 of the detail screen based on the control information when the region group is too large to
4 fit in the required display area; and

5 - the program further allows the computer to realize a function to change the display
6 content of the digest screen based on an operation of a user.

7 13. - 15. (Canceled)

8 16. (Original) A computer program product comprising a computer usable medium having
9 computer readable program code means embodied therein for causing creation of a digest of a
10 document a layout of which is determined, the computer readable program code means in said
11 computer program product comprising computer readable program code means for causing a
12 computer to effect the functions of claim 1.

13 17. (Withdrawn) A computer program product comprising a computer usable medium having
14 computer readable program code means embodied therein for causing creation of a digest of a
15 document a layout of which is determined, the computer readable program code means in said
16 computer program product comprising computer readable program code means for causing a
17 computer to effect the functions of claim 6.

18 18. (Original) An article of manufacture comprising a computer usable medium having computer
19 readable program code means embodied therein for causing creation of a digest of a document a
20 layout of which is determined, the computer readable program code means in said article of
21 manufacture comprising computer readable program code means for causing a computer to effect
22 the steps of claim 8.

- 1 19. (previously presented) A program storage device readable by machine, tangibly embodying a
- 2 program of instructions executable by the machine to perform method steps for creating a digest
- 3 of a document a layout of which is determined, said method steps comprising the steps of claim 8.
- 4 20. (Canceled)